

Town of Medway **DESIGN REVIEW COMMITTEE**

155 Village Street Medway MA 02053 508-533-3291 drc@townofmedway.org

April 20, 2021

L&W Supply Co. C/O Ryan Donegan 20 Trotter Dr Medway, MA 02053

RE: DRC Sign Design Review

L&W Supply Co.

20 Trotter Dr – Medway, MA

Dear Mr. Donegan,

Thank you for submitting the proposed signage for L&W Supply Co. to the Medway Design Review Committee (DRC) for review. The information was filed with the Town on March 24rd, 2021.

Pursuant to the Medway Zoning Bylaw, SECTION 7.2 Sign Regulations, this communication serves as the DRC's review letter regarding the proposed free-standing sign, wall façade signs, panel for the multi-tenant sign, and door signs for L&W Supply's facility at 20 Trotter Drive in Medway. Please be advised that this letter does NOT constitute approval of a sign permit. You must still apply for and secure a sign permit from the Medway Building Department prior to sign installation. Do not install the signs before obtaining the required permit.

On Monday, April 5, 2021, the DRC met with your representative, Taylor Campbell of Ardon Visual Communications of Woburn, MA, to review the proposed signage for L&W Supply Co at 20 Trotter Drive. You have proposed the following as represented on the sign designs as prepared by Egan Sign of Wyomissing, PA. dated March 9, 2021. (See Attached).

- **Sign A -** Replacement panel for the existing, one-sided, free-standing monument sign at the driveway entrance to the property from Trotter Drive 60" wide x 48" high for a total of 20 SF. The sign will not be illuminated.
- **Sign B** Wall Façade Sign (1) on the building's east façade 116" wide x 48" high for a total of 38.66 SF. The sign will not be illuminated.
- **Sign C** Wall Façade Sign (1) on the building's south façade 101.5" wide x 42" high for a total of 29.6 SF. The sign will not be illuminated.
- **Sign D** Door signs (4) with business name and store hours or address each 3.3 SF. Vinyl cut copy.
- **Sign E** Tenant panel (1) 22" wide x 3" high on the existing multi-tenant Development Sign at the entrance to the industrial park at Milford Street and Trotter Drive

The DRC offers the following comments/recommendations regarding the proposed signs:

- We notice in the property photographs provided by Egan Sign that there is a white free-standing monument sign(s) at the entrance(s) to the parking lot. That sign needs to be removed as the property is allowed only one monument sign.
- The Zoning Bylaw requires landscaping around the base of the monument sign 3' in all directions. Please include a landscaping plan with your sign permit application to the Building Department.
- The DRC recommends that the cabinet for the existing monument sign be repaired as it currently shows wear and dents.
- The DRC recommends that the property address be included on the monument sign at Trotter Drive.
- Door signage needs to be compliant with the total allowed for the property. The Zoning Bylaw specifies that door signs cannot exceed 2 SF per door. You will need to reduce the overall size of each door sign from 3.3 SF to 2 SF.

You indicated that you would consider these suggestions and move ahead. You are welcome to return to a future DRC meeting for further conversation and ideas regarding signage for L&W Supply Co. Please contact the Medway Planning and Economic Development office at 508-533-3291 if you would like to schedule another appointment with the DRC.

The DRC's goal is to enhance the identification value of business signs in Medway. We seek to help Medway businesses and organizations develop their signs as long-term investments, designed for sound readability with appropriate graphics and materials in a manner that suits budgetary constraints and enhances our community's appearance and appeal.

Thank you for your time. We are pleased to welcome L & W Supply Co. to Medway as the new owners of Merrimack Building Supply.


Sincerely,

Matthew J. Buckley

Marker J Pruhley

Chairman

cc: Jack Mee, Medway Building Commissioner Rindo Barese, Medway Building Department Ericka Robertson, Medway Building Department Kelly O'Brien, Medway Building Department Taylor Campbell, Ardon Visual Communications







Client:

L&W Supply 7110 300 South Riverside Plaza Suite 200 Chicago, IL 60606

Location Address:

L & W Supply 20 Trotter Drive Medway, MA 02053

Description:

Site Plan

Color Key:

<u>Layout Date:</u> 01/10/2021 - AR

Revision Date: 01/18/2021 - AR

01/22/2021 - AR 01/26/2021 - AR 01/26/2021 - AR 03/09/2021 - SK/AR



1100 Berkshire Blvd. Suite 200, Wyomissing, PA | (Toll Free): 844.460.6631 | (Fax): 610.478.1332 | www.egansign.com

This design/engineering proposal will remain the exclusive property of Egan Sign until approved and accepted through purchase by client named directly on drawing and may not be duplicated by other parties or design fee will apply @ \$95 per hour.

Sign Management Made Simple

PRE-PER	MIT SIGN INFO	Property ID:	L & W
A.) Project Name:	L&W Supply	Date Completed:	1/6/21
B.) Street Address:	20 Trotter Drive		
C.) City, State Zip:	Medway, MA 02053		
D.) Municipal Contact:	Rindo Barese		
E.) Contact Phone:	508.533.3253	Email: Through website	
F.) Address, City, ST Zip:	155 Village Street, Medv	vay, MA 02053	
G.) Jurisdiction:	City/Town of: Me	edway Fax:	
H.) Zoning/Category:	WI West Industrial	Design Review required for FS sign or any other sign with 6 sf or	Yes/No
I.) Overlay/Affecting Signs:	None	more of sign surface area. See note #1 below for process.	MSP? No
J.) Permit app fee:	Based on sf of sign, mini	imum \$40; file online_https://www.townofmedway.org/online-r	If yes, attach copy
K.) Permit Process time:		ping is required around the base of all FS signs & landscaping plan s	
L.) Permit required if only re		with the sign permit application. The minimum landscaped area shall if beyond all sign faces or supporting structures in all directions.	extend Yes
M.) Property Owner approval	needed?	The beyond all sign races of supporting structures in all allections.	Yes
N.) Temporary/coming-soon		See note #2 below for restrictions	Yes
O.) Temporary freestanding		See note #2 below for restrictions	Yes
P.) Temporary Signs require		The lesser of 15 days or the period to which the information is relevant	Yes
P.) Can app. be mailed or m	ust it be submitted in person	Apply online:	
Note:			ATTACHED SIGNS
1.) Formula for sq ft. (Max.Sq. Feet- Main ID & Secondary):	Building frontage	ige, NTE 100 sf per establishment; see exception in note #3 below along v	vith Definition of
Sq Ft-bldg, sides/rear:			
Does Each elevation hav		based on Main Elevation? Elev. calc must come out of Overall Wall	sign allowance
Transferrable allowances?			
	#3 below for exception	Illumination: Internal and External; no flashing, glare or spillage	; see note #4
6.) Max. Overall Ht.: Below		Calculation Method: See Definition in note #5 below	
7.) Exposed raceway for Cha			
8.) Special Wall sign codes-	- · · · ·	t project more than 8 in from façade	
Special storefront buildin	g colors: Not addressed	d in Code; submit for approval	
Formula for sq ft. (Max.Sq. Feet- Main ID & Secondary):	40 sf NTE 30 sf per sign	face	EESTANDING SIGNS
	#3 below for exception	Illumination: External only; see note #4 below	
3.) Height Max: 6 ft		Grade-to-sign Clearance: Not addressed in Code; submi	
4.) Set-back: 10 ft from	any street lot line	Calculation Method: See Definition in not	
		D	IRECTIONAL SIGNS
1.) # Allowed: As needed		Illumination: External or indirect means on	•
2.) Max. SqFt: 4 sf		Max. Height: Not addressed in Code; submi	t for approval
3.) Permit: Not require	ed if under 4 sf	Custom Logo: Not Allowed	
d > # Allowed	Halaman A. A. a. S. L		OR/WINDOW VINYL
# Allowed: 1 per estab Logos counted in sign and	olishment at 4 sf is permit	exempt. Max Sq Ft: 4 sf	
Logos counted in sign an Included in wall signs?		more than 1 or 4 sf in sign area, counted in wall signs and must have a p	nermit
· ·		section; any more than 1 or 4 sf in sign area, counted in wan signs and must have a p	
		v sign per establishment NTE 4 sf of sign surface area.	aot nave permit
		3*. This provider is not responsible for changes in local sign code after the completion date, nor for the r	eview process, interpretations,
	calculations or fees of local authoritie	as. Where required by local authority, it is understood a permit will be obtained prior to manufacture.	

	RMIT SIGN INFO - Addit	tional Notes		Property ID	:	L & W
						VARI
1. Variance	e Meeting: 1st & 3rd Wedne	esday	App. Dead	dline: 30 days prior	to meeting	
. Processi	ing Time: 60-90 days		Est. Fe	es: \$185 + \$100 /r	equest over 1st 2	
. Attorney	or expeditor required?	Yes 🗸 No Waitin	g Period after approval & ho	w Long? Possibly	30 days	
. Docume	ents Required: # of Sets	1; file online	✓ Sign Details	Engineer	ing Saal	UL Number
. Probabili	lity of variance approval?	Contact would not Specu		= -	-	Property ID:
Note:	er?Action=showDevelop	mentApplications&ctzF		Legal De		Addl Prof Se
Inte	erested party should attend r	mtg to answer questions				
						N
	Design Review. a. Before filing for a sign rof sign surface area, a sig Committee shall review probable being form and forma b. The Design Review Co the receipt of a complete application date, the Design the Building Commissione thereto. These deadlines extension shall automatica this Section 7.2.6. Decision. Within 45 days Poecial Event Sign: A sig cardboard, fabric, canvas, which the information on the posting shall be included of Special Event Signs. Sproner than 30% of the area sign surface area. Temporary Business Sign surface area. Temporary Business Signaterial, designed or intel location of an establishme of a temporary business.	an design review applicat roposed signs for compliat as specified by the Demmittee shall meet with sign design review applications are review applications. Failure of the Design may be extended by murally extend the period with of the application date, to the sign is relevant, which is the sign is relevant which is the sign is relevant on the sign ecial event signs display a of the window or door on. (Permit Exempt) As anded to be displayed for int until a permanent sign for the permanent sign that the sign is represented to be displayed for int until a permanent sign that the sign is represented to be displayed for int until a permanent sign.	ion must first be made to ance with the Medway D sign Review Committee. the applicant or its represation (referred to herein all send its written review. Review Committee to actual agreement of the De thin which the Building C the Building Commission. In the Building Commission and/or use is temporary in urable material, displayer hever is less, advertising ed in the windows or doc glass to which the sign is sign normally fabricated to a period not to exceed in	the Design Review Guid (Amended 11-16-18 sentative to review as the application w letter with recommunity of the sentative to review within 30 days shasign Review Commommissioner is requer shall issue or demature, frequently d for a period not to a special event, so or a fixed. Special event size of a ground-floor affixed. Special event with six of the six of t	w Committee. The leilines. The submitted of the lines of	Design Revievatal of application within 15 days 130 days from 15 days
\blacksquare						located.
Note #3		Industrial, Energ	gy Resource, and	d West Indust		mended 11-13
lote #3					(Title ar	mended 11-13
		Total Maximum Sign Surface Area (square	Maximum # of	Maximum Sign	Minimum Setback from any Street Lot	mended 11-13 Illuminati Externa
	East Individual Establishment Wall	Total Maximum Sign Surface Area (square feet) Building Sign Frontage x 1.0 not to exceed 100 per	Maximum # of Signs	Maximum Sign Height (feet)	Minimum Setback from any Street Lot Line (feet)	Illuminati Externa
	East Individual Establishment Wall Sign Individual Establishment	Total Maximum Sign Surface Area (square feet) Building Sign Frontage x 1.0 not to exceed 100 per establishment* 40 not to exceed 30 per sign face	Maximum # of Signs 2 per establishment 1 per establishment	Maximum Sign Height (feet) NA	Minimum Setback from any Street Lot Line (feet)	mended 11-13

PRE-PE	ERMIT SIGN INFO - Additional Notes	Property ID:	L & W
Note #4	Sign Illumination. Where this Zoning Bylaw allows illuminati	ion of signs in a district, the illumination mu	ust conform to the
	following: 1. All lighting shall be continuous and installed in a manner th property. Whenever an external artificial light source is used directed so as to not be directly visible from any public street shielded to reduce light trespass. Flashing, traveling, or inter graphics is prohibited, except that a warning sign, a device in traffic and directional signs may have changing illumination. 2. Except for clocks, sign illumination is permitted only betwe commercial and industrial establishments may be illuminated in operation. This provision shall not apply to illuminated sign 3. Only white lights shall be used for the external illumination maintained at a sufficiently low intensity and brightness that it the premises or on any adjacent public or private ways. 4. In all districts, no outdoor floodlightning or decorative lightin walks, driveways, outdoor living areas, or outdoor recreation. longer than a six week period in any calendar year. Such per in a manner that will prevent direct light from shining onto an 5. The front faces of internally illuminated channel letter type directly visible.	to illuminate a sign, such source shall be la to r private residence. External light fixtures mittent light creating flashing, moving, cha tended to tell the time and temperature, duen the hours of 7:00 a.m. and 11:00 p.m., during any hours that these establishmen is at public safety facilities. of a sign. Such illumination shall be shade it shall not affect the safe vision of operator g shall be permitted except lighting primar al facilities, and except temporary holiday Irranar lighting shall be continuous, exten y street or adjacent property.	ocated, shielded, and s shall be hooded or nging, or animated ay and date, or official except that the signs of ts are open to the public ed, shielded, directed ar or vehicles moving wi ily designed to illuminate lighting in use for not nal or indirect, and insta-
Note #5	ullectly visible.		
Sign S horizor design building	Surface Area/Sign Face: Sign surface area/sign face shall be a ntal lines, enclosing the entire graphic display area of a sign incomes, logos or symbols, and the extreme limits thereof of the accogor structure. Surface Area.	cluding but not limited to all lettering and w	ording, all accompanyin
1. In ca symbo surface 2. All 1 3. Stru	calculating the sign surface area, there shall be no deductions ols and logos. For a freestanding sign, all open spaces betweer re area/sign face. faces of a multi-faced sign shall be counted in computing a actural members, framework and bracing for awning, marquis a advertising matter shall not be included in computing sign surface.	n individual sign panels shall be included in sign's total sign surface area. and canopy structures that are incidental to	calculating the sign
FYI			
Signs "Ope Banr Store establi	npt Signs in All Districts. su pt 0.2 sin sign surface area, used for identifying rest rooms en" or "Welcome" signs not exceeding 6 sf in sign surface area, ner signs affixed to poles, NTE 3 sf of sign surface area per sid e hour signs, which may bear advertising matter, not exceeding lishment. W Hiring" signs not exceeding 6 sf of sign surface area, NTE 1 s	NTE 1 such sign per establishment. e, incorporating only seasonal graphic des a total of 2 sf in sign surface area, NTE a	
●1 per	rmanent inside window sign per establishment NTE 4 sf of sign		
•Spec	r sign not exceeding 2 sf of sign surface area per door. upt Signs in all Commercial and Industrial Zoning Districts. cial event signs which shall not occupy an area in excess or pertain only to the establishment's own special sale, event or so porary business sign.		which they are affixed, a
●1 per	rmanent window sign, as defined herein, per establishment located provided that:	ated above the first story of the building i	in which the establishme
a. The	e sign surface area does not exceed 20% of the area of the glase e window is part of the premises to which the sign is accessory;		;
c. The	e sign consists of individual letters or symbols affixed to the win	dow or mounted on a clear, transparent ba	ackground; and
■1 per	e individual symbols or letters do not exceed 6 inches in height. irmanent wall or projecting sign per establishment located on the		the building in which th
a. The	lishment is located provided that: e sign surface area of the sign shall not exceed 6 sf. e location on the façade where the sign is attached is part of the	e premises to which the sign is accessory	
D. THE	- Hocation on the laçade where the sign is attached is part of the	premises to which the sign is accessory.	



Client:

L&W Supply 7110 300 South Riverside Plaza Suite 200 Chicago, IL 60606

Location Address:

L & W Supply 20 Trotter Drive Medway, MA 02053


Description: Sign Code

Color Key:

<u>Layout Date:</u> 01/10/2021 - AR

Revision Date: 01/18/2021 - AR


01/22/2021 - AR 01/26/2021 - AR 03/09/2021 - SK/AR



1100 Berkshire Blvd. Suite 200, Wyomissing, PA | (Toll Free): 844.460.6631 | (Fax): 610.478.1332 | www.egansign.com

This design/engineering proposal will remain the exclusive property of Egan Sign until approved and accepted through purchase by client named directly on drawing and may not be duplicated by other parties or design fee will apply @ \$95 per hour.











Note: Paint existing cabinet & reveal to match color key



Existing



Proposed

EGAN

1100 Berkshire Blvd. Suite 200, Wyomissing, PA | (Toll Free): 844.460.6631 | (Fax): 610.478.1332 | www.egansign.com

This design/engineering proposal will remain the exclusive property of Egan Sign until approved and accepted through purchase by client named directly on drawing and may not be duplicated by other parties or design fee will apply @ \$95 per hour.

Sign Management Made Simple

File Name: 26060_Medway.pdf Project Number: 26060



Client:

L&W Supply 7110 300 South Riverside Plaza Suite 200 Chicago, IL 60606

Location Address:

L & W Supply 20 Trotter Drive Medway, MA 02053

Description:

Monument Sign (20 sq ft)

Qty: 2 (1 per side)

Provide 1/8" (thk) aluminum panel painted to match color key w/ surface applied computer cut vinyl to match color key.

Remove existing faces

Color Key:

PMS 200 C

PMS 2945 C

PMS 446 C

White

<u>Layout Date:</u> 01/10/2021 - AR

Revision Date: 01/18/2021 - AR

01/22/2021 - AR 01/26/2021 - AR

03/09/2021 - SK/AR





SUPPLY

Client:

L&W Supply 7110 300 South Riverside Plaza Suite 200 Chicago, IL 60606

Location Address:

L & W Supply 20 Trotter Drive Medway, MA 02053

Existing

Description: LWS-PFLL-48

Non-illuminated Pan Face Sign (38.7 square feet):

Remove existing banner

Proposed

Square Footage Calculation:

Code: 1 sf per LF of building frontage, NTE 100 sf per establishment Calculation: 1 * 70 = 70 sf

Allowed: 70 sf **Used: 38.7 sf**

Sign B - 38.7 sf

Sign C - 29.6 sf **Total - 68.3 sf**

840" BUILDING FRONTAGE Center above door 116" EQ <u>+</u>101" 48" EQ

Color Key:

PMS 200 C

PMS 2945 C

PMS 446 C

White

<u>Layout Date:</u> 01/10/2021 - AR

Revision Date: 01/18/2021 - AR 01/22/2021 - AR 01/26/2021 - AR

03/09/2021 - SK/AR





1100 Berkshire Blvd. Suite 200, Wyomissing, PA | (Toll Free): 844.460.6631 | (Fax): 610.478.1332 | www.egansign.com

6 **√**0 **6**

SECTION DETAILS:

- 0.090" Alum non-illuminated pan face sign panel w/ vinyl logo & edge to match
- 2" x 2" (1/4"t) Fabricated alum. angle framing fastened to exterior wall
- **3** Stainless steel attachment fastener per existing wall structure and site conditions
- S.S. countersink machine screws painted to match sign (min of 3 per clip angle)
- **5** Paint to match sign face (PMS 446C)

24

30

36

42

48

54

60

6 Existing wall (no change)

Pan Face Sign Non-Illuminated

LWS-PFLL-24

LWS-PFLL-30


LWS-PFLL-36

LWS-PFLL-42

LWS-PFLL-48

LWS-PFLL-54

LWS-PFLL-60



Attachment Detail - Plan View:

Total Square

9.6

15.1

21.7

29.6

38.7

48.9

60

SCALE: 3" = 1'-0"

Y1

20

25

30

35

40

45

50

X2

2

2.5

3

3.5

4

4.5

5

58

72.5

87

101.5

116

130.5

144

X1

20

25

30

35

40

45


50

0		9	2"
- Plan View:	-6	-3 - 4	

Rendering:



- . Drywall
- · Suspended Ceilings
- · EIFS / Insulation
- · Metal Framing
- · Doors & Frames
- · Commercial/Residential



Y1 L&W \times \times **SUPPLY**

- Drywall
- Suspended Ceilings
- EIFS / Insulation
- Metal Framing
- Doors & Frames
- Commercial/Residential



Client:

L&W Supply 7110 300 South Riverside Plaza Suite 200 Chicago, IL 60606

Location Address:

L & W Supply 20 Trotter Drive Medway, MA 02053

Description:

LWS-PFLL-48

Non-illuminated Pan Face Sign (38.7 square feet):

QTY:1

Provide new 2" deep aluminum pan face sign w/ vinyl logo overlay and vinyl listings.


Color Key:

- PMS 200 C
- PMS 2945 C
- PMS 446 C
- White

Layout Date: 01/10/2021 - AR

Revision Date:

01/18/2021 - AR 01/22/2021 - AR 01/26/2021 - AR 03/09/2021 - SK/AR



SCALE: NTS

Attachment Detail - Section View:

This design/engineering proposal will remain the exclusive property of Egan Sign until approved and accepted through purchase by client named directly on drawing and may not be duplicated by other parties or design fee will apply @ \$95 per hour.

Scale: NTS

Pan Face Sign (Logo + List)

Sign Management Made Simple





Existing

SUPPLY

Client:

L&W Supply 7110 300 South Riverside Plaza Suite 200 Chicago, IL 60606

Location Address:

L & W Supply 20 Trotter Drive Medway, MA 02053

Description: LWS-PFLL-42

Non-illuminated Pan Face Sign (29.6 square feet):

Color Key: PMS 200 C

PMS 2945 C

PMS 446 C

White

<u>Layout Date:</u> 01/10/2021 - AR

Revision Date: 01/18/2021 - AR 01/22/2021 - AR 01/26/2021 - AR

03/09/2021 - SK/AR

Proposed

Square Footage Calculation:


Code: 1 sf per LF of building frontage, NTE 100 sf per establishment Calculation: 1 * 70 = 70 sf

Allowed: 70 sf

Used: 29.6 sf Sign B - 38.7 sf

Sign C - 29.6 sf

Total - 68.3 sf





Pan Face Sign (Logo + List)

Scale: 1/8"=1'-0"



1100 Berkshire Blvd. Suite 200, Wyomissing, PA | (Toll Free): 844.460.6631 | (Fax): 610.478.1332 | www.egansign.com

6 **√**0 **6**

SECTION DETAILS:

- 0.090" Alum non-illuminated pan face sign panel w/ vinyl logo & edge to match
- 2" x 2" (1/4"t) Fabricated alum. angle framing fastened to exterior wall
- **3** Stainless steel attachment fastener per existing wall structure and site conditions
- S.S. countersink machine screws painted to match sign (min of 3 per clip angle)
- **5** Paint to match sign face (PMS 446C)

24

30

36

42

48

54

60

6 Existing wall (no change)

Pan Face Sign Non-Illuminated

LWS-PFLL-24

LWS-PFLL-30


LWS-PFLL-36

LWS-PFLL-42

LWS-PFLL-48

LWS-PFLL-54

LWS-PFLL-60



Attachment Detail - Plan View:

Total Square

9.6

15.1

21.7

29.6

38.7

48.9

60

SCALE: 3" = 1'-0"

Y1

20

25

30

35

40

45

50

X2

2

2.5

3

3.5

4

4.5

5

58

72.5

87

101.5

116

130.5

144

X1

20

25

30

35


40

45

50

	0				G.		2"
	0	!		2	3	4	
ont Dotail - Dla	n Viow:	1	1				

Rendering: . Drywall · Suspended Ceilings · EIFS / Insulation L&W · Metal Framing SUPPLY · Doors & Frames · Commercial/Residentia



L&W \times \times **SUPPLY**

Y1

- Drywall
- Suspended Ceilings
- EIFS / Insulation
- Metal Framing
- Doors & Frames
- Commercial/Residential



Client:

L&W Supply 7110 300 South Riverside Plaza Suite 200 Chicago, IL 60606

Location Address:

L & W Supply 20 Trotter Drive Medway, MA 02053

Description:

LWS-PFLL-42

Non-illuminated Pan Face Sign (29.6 square feet):

QTY:1

Provide new 2" deep aluminum pan face sign w/ vinyl logo overlay and vinyl listings.

Color Key:


- PMS 200 C
- PMS 2945 C
- PMS 446 C
- White

Layout Date: 01/10/2021 - AR

Revision Date:

01/18/2021 - AR 01/22/2021 - AR 01/26/2021 - AR

03/09/2021 - SK/AR



This design/engineering proposal will remain the exclusive property of Egan Sign until approved and accepted through purchase by client named directly on drawing and may not be duplicated by other parties or design fee will apply @ \$95 per hour.

Scale: NTS



File Name: 26060_Medway.pdf Project Number: 26060



SCALE: NTS

Attachment Detail - Section View:





Existing

SUPPLY

Client:

L&W Supply 7110 300 South Riverside Plaza Suite 200 Chicago, IL 60606

Location Address:

L & W Supply 20 Trotter Drive Medway, MA 02053

Description:

LWS-DVDD

Door Vinyl Double Door (5 square feet):

Remove existing vinyl

Color Key:

PMS 200 C

PMS 2945 C

White

<u>Layout Date:</u> 01/10/2021 - AR

Revision Date: 01/18/2021 - AR

01/22/2021 - AR 01/26/2021 - AR 03/09/2021 - SK/AR

Door Vinyl (Double Glass Door):



1100 Berkshire Blvd. Suite 200, Wyomissing, PA | (Toll Free): 844.460.6631 | (Fax): 610.478.1332 | www.egansign.com

SUPPLY



L&W Supply 7110 300 South Riverside Plaza Suite 200 Chicago, IL 60606

Location Address:

L & W Supply 20 Trotter Drive Medway, MA 02053

Description:

LWS-DVDD

Door Vinyl Double Door (5 square feet):

QTY: 2 (1 per door, copy different)

Provide computer cut vinyl logo & copy applied 1st surface.

Color Key:

PMS 200 C

PMS 2945 C

White

Layout Date: 01/10/2021 - AR

Revision Date: 01/18/2021 - AR 01/22/2021 - AR 01/26/2021 - AR

03/09/2021 - SK/AR

Computer cut vinyl logo per color key, applied 1st surface. L&W **SUPPLY**

DIFFERENCE DELIVERED

20 Trotter Drive 508-533-6905_

Computer cut white vinyl copy applied first surface

36" Typical Door Glass L&W L&W SUPPLY SUPPLY **DIFFERENCE DELIVERED** DIFFERENCE DELIVERED 84" Typical Door 20 Trotter Drive 508-533-6905 Store Hours: 6:00am - 4:30pm M-F Above grade to top of logo

Door Vinyl (Double Glass Door): **Scale 1:10**

ELEVATION & LAYOUT: Scale: 3/4" = 1'



1100 Berkshire Blvd. Suite 200, Wyomissing, PA | (Toll Free): 844.460.6631 | (Fax): 610.478.1332 | www.egansign.com

23.7"

12"

DIFFERENCE DELIVERED

6:00am - 4:30pm M-F

L&W

Store Hours:

12,

1.7"

1.7"

20.3"





Existing

L&W SUPPLY

Client:

L&W Supply 7110 300 South Riverside Plaza Suite 200 Chicago, IL 60606

Location Address:

L & W Supply 20 Trotter Drive Medway, MA 02053

Description:

Tenant Panel (.03 Sq Ft):

QTY:1

Provide computer cut vinyl logo & copy applied 1st surface.

NOTF:

Remove existing vinyl.

Color Key:

Black


<u>Layout Date:</u> 01/10/2021 - AR

Revision Date:

01/18/2021 - AR 01/22/2021 - AR 01/26/2021 - AR 03/09/2021 - SK/AR

L & W SUPPLY

Font Shown: Myriad Pro Cond Semi-Bold - +40% kerning





1100 Berkshire Blvd. Suite 200, Wyomissing, PA | (Toll Free): 844.460.6631 | (Fax): 610.478.1332 | www.egansign.com