MEDWAY COMMUNITY CHURCH

11 SLOCUMB PLACE MEDWAY, MASSACHUSETTS

9 & 11 SLOCUMB PLACE SITE IMPROVEMENTS

9 SLOCUMB PLACE: 11 SLOCUMB PLACE:

ASSESSORS: MAP 47 LOT 079 ASSESSORS: MAP 47 LOT 078 ZONING DISTRICT: VILLAGE RESIDENTIAL ZONING DISTRICT: AR-II


REQUESTED WAIVERS

SITE PLAN RULES AND REGULATIONS

- 204-3, 7 (DEVELOPMENT IMPACT STATEMENT) TO NOT SUBMIT THE DEVELOPMENT IMPACT STATEMENT.
- 204-4, B (SITE PLAN SCALE) TO SHOW A SCALE OF 1"=20' RATHER THAN THE REQUIRED SCALE OF 1"=40'.
- 204-5, C, 3 (EXISTING LANDSCAPE INVENTORY) TO NOT SHOW
 TREES BETWEEN 12" AND 18" (TREES 18" AND LARGER
 SHOWN). ONLY SHOW TREES WITHIN THE SETBACKS.
- 204-5, D, 7 (LANDSCAPE ARCHITECTURE PLAN) SHALL NOT BE PREPARED BY A PROFESSIONAL LANDSCAPE ARCHITECT LICENSED IN THE COMMONWEALTH OF MASSACHUSETTS.
- 205-3, B, 2 (INTERNAL SITE DRIVEWAYS) SHALL BE LOCATED WITHIN 15' OF A SIDE PROPERTY LINE (BOTH PROPERTIES OWNED BY MEDWAY COMMUNITY CHURCH).
- 205-3, C, 1 (TRAFFIC FLOW) PAVED ENTRANCE SHALL BE 6
 PERCENT SLOPE FOR THE FIRST 25'.
- 205-6, G, 4b (PARKING SPACES/STALLS) ALLOW SPACES/STALLS
 TO BE LOCATED WITHIN FIFTEEN (15) FEET OF THE SIDE
 PROPERTY LINES AT #9 SLOCUMB PLACE.
- 205-6, H (CURBING) THE PERIMETER OF THE PARKING AREA SHALL BE BOUND BY BITUMINOUS CAPE COD BERM UNLESS OTHERWISE NOTED.
- 205-9, F (TREE REPLACEMENT) REMOVED TREES GREATER THAN 10" IN DIAMETER SHALL NOT BE REPLACED.

TOWN OF MEDWAY, BOARD OF SELECTMEN	
DENNIS CROWLEY, CHAIRMAN	
JOHN FORESTO, VICE CHAIRMAN	
RICHARD D'INNOCENZO, CLERK	
GLENN TRINDADE, MEMBER	
MARYJANE WHITE, MEMBER	

CONTRACT NO. 1




LOCATION PLAN




SHEET INDEX


- C-1 EXISTING CONDITIONS
- C-2 PROPOSED CONDITIONS
- C-3 PROPOSED GRADING
- C-4 DRAINAGE PLAN
- C-5 LIGHTING PLAN
- C-6 PHOTOMETRIC PLAN
- C-7 LANDSCAPING PLAN
- C-8 DETAIL SHEET 1
- C-9 DETAIL SHEET 2





PLANNING & ECONOMIC DEVELOPMENT BOARD SUBMITTAL NOT FOR CONSTRUCTION


AUGUST 2018




















NOT TO SCALE

PLAIN CEMENT CONCRETE -MIN. 6" DEPTH LEVEL LANDING WITH TRUNCATED DOMES, SEE DETAIL THIS SHEET 1.5% SLOPE FOR DRAINAGE LEVEL 9'-0" 6'-6" HIGH SIDE LOW SIDE TRANSITION TRANSITION -LIMITS OF RAMP-





SECTION A-A


- SLOPE TOLERANCE FOR CONSTRUCTION: ±0.5% ADJUST THE HIGH AND LOW SIDE TRANSITION LENGTHS AS REQUIRED IN THE FIELD SO THE CURB REVEAL AT THE LIMIT OF THE HANDICAP RAMP MATCHES THE EXISTING CURB REVEAL. SLOPE OF TRANSITION AREAS SHALL NOT
- EXCEED 7.5% ±0.5%. 3. WHEELCHAIR RAMP SHALL BE CONSTRUCTED IN ACCORDANCE WITH THE RULES AND REGULATIONS OF THE MASSACHUSETTS ARCHITECTURAL ACCESS BOARD AND THE REQUIREMENTS OF THE AMERICANS WITH DISABILITIES ACT.

HANDICAP RAMP


SCALE : NONE













GRANITE CURB NOT TO SCALE





TYPE "A" CAPE COD BERM NOT TO SCALE

FOR REGISTRY USE ONLY:





SITE


MINOR

	T&H NO.:	5328
	DATE:	AUGUST 2018
	SCALE:	AS NOTED

C-8









CORR. HDPE DRAINAGE LINE TRENCH SECTIONS


NOT TO SCALE



TYPICAL SEPARATOR ROW CONFIGURATIONCROSS SECTION WITH INSPECTION PORT



SCALE: NONE



OPEN-BOTTOM PRECAST CATCH BASIN

SCALE: NONE

BY EAST JORDAN IRON WORKS OR APPROVED EQUAL SET ON A FULL BED OR MORTAR FINISH GRADE-/XV/XV/ ADJUST FRAME TO GRADE WITH 2 TO 4 COURSES OF BRICK AND MORTAR CONE -BITUMASTIC SEALANT TO FILL AT LEAST 75% OF THE JOINT CAVITY (TYP.) ~HOOD ATTACHED TO MANHOLE WALL RISER SEE SITE PLAN FOR INVERTS 4' SUMP (MIN.) -RUBBER-LIKE OR-N-SEAL RISER SLEEVE (OR EQUAL) -H-20 LOADING PRECAST CATCH BASIN -12" COMPACTED CRUSHED STONE SUNDISTURBED MATERIAL

PRECAST CATCH BASIN

SCALE: NONE

FOR REGISTRY USE ONLY:

TATA & HOWARD
67 FOREST STREET

SITE

OWNER/APPLIONAY COMMUNIT

Q

SHEET

DETAIL

ONSTRUC

FOR

T&H NO.: 5328

DATE: AUGUST 2018

SCALE: AS NOTED

C-9

~36" X 24" CURB INLET ASSEMBLY MODEL 7510Z1